

: 15.02.2017

: 11.02.2017

1

· 1.1

PZ347

· 1.2.

· 1.3

IVM Chemicals Srl
Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441

Environmental Health and safety office
hseoffice@ivmchemicals.com

· 1.4

8.30 17.30 0039 038 425 441

: 0039 0384 254491

2

· 2.1

() 1272/2008



Flam. Liq. 2 H225



STOT RE 2 H373



Skin Irrit. 2 H315

Eye Irrit. 2 H319

· 2.2

(EC) 1272/2008

(CLP).



GHS02



GHS07



GHS08

: 15.02.2017

: 11.02.2017

PZ347

xylene

H225

H315

H319

H373

P210

P241

P303+P361+P353

P305+P351+P338

P403+P235

P501

2.3

PBT (

) vPvB

PBT:

vPvB:

3

3.2

CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119488216-32-XXXX	xylene Flam. Liq. 3, H226 STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	10-14,99%
CAS: 123-86-4 EINECS: 204-658-1 Reg.nr.: 01-2119485493-29-XXXX	n-butyl acetate Flam. Liq. 3, H226 STOT SE 3, H336	10-14,99%
CAS: 108-65-6 EINECS: 203-603-9 Reg.nr.: 01-2119475791-29-XXXX	2-methoxy-1-methylethyl acetate Flam. Liq. 3, H226	5-9,99%
CAS: 100-41-4 EINECS: 202-849-4 Reg.nr.: 01-2119488216-32-XXXX	ethylbenzene Flam. Liq. 2, H225 STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H332	2,5-4,99%

16.

RU

3)

: 15.02.2017

: 11.02.2017

PZ347
:

(2)

4

. 4.1
:
() 48'
:
()
:
(20)
:
,
. 4.2
,
. 4.3
, . 11

5

. 5.1
:
. 5.2
,
. 5.3
:
:

6 ()

. 6.1
:
(4)

: 15.02.2017

: 11.02.2017

PZ347

· 6.2

· 6.3

· 6.4

7

· 7.1

· 7.2

· 7.3

8

· 8.1

1330-20-7 xylene	
PDK	: 150 /m ³ : 50 /m ³

: 15.02.2017

: 11.02.2017

PZ347

123-86-4 n-butyl acetate		()	4)
PDK	: 200 /m ³ : 50 /m ³	/	
108-65-6 2-methoxy-1-methylethyl acetate			
PDK	: 10 /m ³	/	
100-41-4 ethylbenzene			
PDK	: 150 /m ³ : 50 /m ³	/	
DNEL			
1330-20-7 xylene			
()	DNEL acuto/agudo/ostre/ aigu/acute/akut	289 /mc ()	
	DNEL	77 /mc ()	
	DNEL	180 / b w / d ()	
123-86-4 n-butyl acetate			
()	DNEL acuto/agudo/ostre/ aigu/acute/akut	960 /mc ()	
	DNEL	859,7 /mc (popolazione) 480 /mc ()	
		102,34 /mc (popolazione)	
108-65-6 2-methoxy-1-methylethyl acetate			
()	DNEL	275 /mc ()	
	DNEL	153,5 / b w / d ()	
100-41-4 ethylbenzene			
()	DNEL acuto/agudo/ostre/ aigu/acute/akut	293 /mc ()	
	DNEL	77 /mc ()	
	DNEL	180 / b w / d ()	
PNEC			
1330-20-7 xylene			
PNEC Acqua dolce/water/woda sjdka/eau/agua	0,327 /L ()		
PNEC Suolo/earth/suelo/sol/gleba/	2,31 / ()		
123-86-4 n-butyl acetate			
PNEC Acqua dolce/water/woda sjdka/eau/agua	0,18 /L ()		
PNEC Suolo/earth/suelo/sol/gleba/	0,0903 / ()		
108-65-6 2-methoxy-1-methylethyl acetate			
PNEC Acqua dolce/water/woda sjdka/eau/agua	0,635 /L ()		
PNEC Suolo/earth/suelo/sol/gleba/	0,29 / ()		
100-41-4 ethylbenzene			
PNEC Acqua dolce/water/woda sjdka/eau/agua	0,1 /L ()		

6)

RU

: 15.02.2017

: 11.02.2017

PZ347

PNEC Suolo/earth/suelo/sol/gleba/

2,68 / (L)

5)

8.2



/
EN 374

89/686/



RU
7)

PZ347

(6)

9

9.1

pH:	
	124 °C
	22 °C
	315 °C
	1,0 %
	10,8 %
20 °C:	10,7
20 °C:	1,038 /cm ³
	(n- /
	20 °C: 25 s (ISO 6 mm)
VOC (EC)	39,13 % 406,3 /

(8)

: 15.02.2017

: 11.02.2017

PZ347

:

(7)

· 9.2

: 60,9 %

10

· 10.1

· 10.2

· 10.3

· 10.4

· 10.5

· 10.6

11

· 11.1

:

LD/LC50 (/),

:

1330-20-7 xylene

()

LD50 3523 / (rat/szczur/mouse/souris/Maus/rat n)

()

LD50 1701 / (rabbit/kr lik/Kaninchen/conejo/lapin)

123-86-4 n-butyl acetate

()

LD50 10760 / (rat/szczur/mouse/souris/Maus/rat n)

()

LD50 14000 / (rabbit/kr lik/Kaninchen/conejo/lapin)

()

LC50/4 21,1 / (rat/szczur/mouse/souris/Maus/rat n)

108-65-6 2-methoxy-1-methylethyl acetate

()

LD50 8532 / (rat/szczur/mouse/souris/Maus/rat n)

()

LD50 5001 / (rabbit/kr lik/Kaninchen/conejo/lapin)

()

LC50/4 35,7 / (rat/szczur/mouse/souris/Maus/rat n)

100-41-4 ethylbenzene

()

LD50 3500 / (rat/szczur/mouse/souris/Maus/rat n)

()

LD50 15486 / (rabbit/kr lik/Kaninchen/conejo/lapin)

()

LC50/4 17,2 / (rat/szczur/mouse/souris/Maus/rat n)

:

:

(9)

: 15.02.2017

: 11.02.2017

PZ347

(8)

12

· 12.1

123-86-4 n-butyl acetate	
EC50	648 / () (72 .)
	44 / (daphnia) (48 .)
LC50 (96 .)	18 / ()
108-65-6 2-methoxy-1-methylethyl acetate	
EC50	1001 / () (72 .)
	501 / (daphnia) (48 .)
LC50 (96 .)	134 / ()
100-41-4 ethylbenzene	
EC50	75 / (daphnia) (48 .)

· 12.2

· 12.3

· 12.4

2 (-):

· 12.5

) vPvB (PBT ()

· PBT:

· vPvB:

· 12.6

13

· 13.1

080111

10)

RU

: 15.02.2017

: 11.02.2017

PZ347

(9)

14

· **14.1 UN**
· ADR, IMDG, IATA UN1263

· **14.2**
· ADR UN1263
· IMDG, IATA PAINT

· **14.3**
· ADR, IMDG, IATA



3
3

· **14.4**
· ADR, IMDG, IATA III

· **14.5** :
· :

· **14.6** :
· (): -
· EMS: F-E, S-E
· Stowage Category A

· **14.7** II
MARPOL73/78 ()
) IBC Code ()

· ADR (LQ) 5L : E1
· (EQ)
· : 30
· : 1000
· 3
· E

(11)

: 15.02.2017

: 11.02.2017

PZ347

(10)

· IMDG

· *Limited quantities (LQ)*

· *Excepted quantities (EQ)*

5L

Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 1000

· *UN "Model Regulation":*

UN 1263

, 3, III

15

· 15.1

1907/2006 1272/2008
2012/18/EU

1: 5000

2: 50000

· P

· 15.2

16

H225

H226

H304

H312

H315

H319

H332

H335

H336

H373

: IVM Chemicals Srl

: Carlo Porta

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(12)

PZ347

:

CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 2: Flammable liquids . Category 2
 Flam. Liq. 3: Flammable liquids . Category 3
 Acute Tox. 4: Acute toxicity . Category 4
 Skin Irrit. 2: Skin corrosion/irritation . Category 2
 Eye Irrit. 2: Serious eye damage/eye irritation . Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) . Category 3
 STOT RE 2: Specific target organ toxicity (repeated exposure) . Category 2
 Asp. Tox. 1: Aspiration hazard . Category 1

(11)

1272/2008/EC

ECHA -

INRS Fiche Toxicologique

.*