

: 02.04.2017

: 31.03.2017

1

· 1.1

TO01

: _____ . 65

· 1.2.

· 1.3

IVM Chemicals Srl
Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441

Environmental Health and safety office
hseoffice@ivmchemicals.com

· 1.4

8.30 17.30 0039 038 425 441

: 0039 0384 254491

2

· 2.1

() 1272/2008



Flam. Liq. 2 H225



STOT RE 2 H373



Skin Irrit. 2 H315

Eye Irrit. 2 H319

STOT SE 3 H335

· 2.2

(EC) 1272/2008

(CLP).



GHS02



GHS07



GHS08

: 02.04.2017

: 31.03.2017

T001

. 65

xylene

H225
H315
H319
H335
H373

P210 / / /

P241 /

P303+P361+P353 ():

P305+P351+P338 :

P405
P501 /

2.3

PBT ()

vPvB

PBT:
vPvB:

3 /

3.2

CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119488216-32-XXXX	xylene Flam. Liq. 3, H226 STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	30-39,99%
CAS: 100-41-4 EINECS: 202-849-4 Reg.nr.: 01-2119488216-32-XXXX	ethylbenzene Flam. Liq. 2, H225 STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H332	5-9,99%
CAS: 110-19-0 EINECS: 203-745-1 Reg.nr.: 01-2119488971-22-XXXX	isobutyl acetate Flam. Liq. 2, H225 STOT SE 3, H336	5-9,99%
CAS: 78-93-3 EINECS: 201-159-0 Reg.nr.: 01-2119457290-43-XXXX	butanone Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	1-2,499%

3)

RU

: 02.04.2017

: 31.03.2017

TO01

: . 65

· 5.3

(3)

6

()

· 6.1

· 6.2

· 6.3

· 6.4

13.

7.

8.

13.

7

· 7.1

· 7.2

8

5)

RU

: 02.04.2017

: 31.03.2017

T001
: 65

. 7.3	(,) (4)
-------	------------

8 /

8.1

1330-20-7 xylene	
PDK	: 150 /m ³ : 50 /m ³
100-41-4 ethylbenzene	
PDK	: 150 /m ³ : 50 /m ³
78-93-3 butanone	
PDK	: 400 /m ³ : 200 /m ³
108-65-6 2-methoxy-1-methylethyl acetate	
PDK	: 10 /m ³
108-88-3 toluene	
PDK	: 150 /m ³ : 50 /m ³

DNEL

1330-20-7 xylene		
	DNEL acuto/agudo/ostre/ aigu/acute/akut	289 /mc ()
	DNEL	77 /mc ()
	DNEL	1 8 0 / b w / d ()
100-41-4 ethylbenzene		
	DNEL acuto/agudo/ostre/ aigu/acute/akut	293 /mc ()
	DNEL	77 /mc ()
	DNEL	1 8 0 / b w / d ()
110-19-0 isobutyl acetate		
	DNEL	243 /mc ()
	DNEL	4 , 9 5 / b w / d ()

6)

RU

: 02.04.2017

: 31.03.2017

TO01

. 65

78-93-3 butanone		
()	DNEL	600 /mc ()
	DNEL	1 1 6 1 / b w / d ()
108-65-6 2-methoxy-1-methylethyl acetate		
()	DNEL	275 /mc ()
	DNEL	1 5 3 , 5 / b w / d ()
108-88-3 toluene		
()	DNEL acuto/agudo/ostre/ aigu/acute/akut	384 /mc ()
	DNEL	192 /mc ()

PNEC

1330-20-7 xylene	
PNEC Acqua dolce/water/woda sjdka/eau/agua	0,327 /L ()
PNEC Suolo/earth/suelo/sol/gleba/	2,31 / ()
100-41-4 ethylbenzene	
PNEC Acqua dolce/water/woda sjdka/eau/agua	0,1 /L ()
PNEC Suolo/earth/suelo/sol/gleba/	2,68 / ()
110-19-0 isobutyl acetate	
PNEC Acqua dolce/water/woda sjdka/eau/agua	0,17 /L ()
PNEC Suolo/earth/suelo/sol/gleba/	0,0755 / ()
78-93-3 butanone	
PNEC Acqua dolce/water/woda sjdka/eau/agua	55,8 /L ()
PNEC Suolo/earth/suelo/sol/gleba/	22,5 / ()
108-65-6 2-methoxy-1-methylethyl acetate	
PNEC Acqua dolce/water/woda sjdka/eau/agua	0,635 /L ()
PNEC Suolo/earth/suelo/sol/gleba/	0,29 / ()
108-88-3 toluene	
PNEC Acqua dolce/water/woda sjdka/eau/agua	0,68 /L ()
PNEC Suolo/earth/suelo/sol/gleba/	2,89 / ()

8.2

: 02.04.2017

: 31.03.2017

TO01
: . . . 65

(7)
· : .
· :
· : ,
/ .
· : .
· : 1,0 . %
· : 11,5 . %
· 20 °C: 105
· 20 °C: 0,97 /cm ³
· : .
· : .
· : /
· : (n- /
·): .
· : .
· : 20 °C: 38 s (ISO 6 mm)
· : .
· : (+
· VOC (EC) 56,85 %
· 551,5 /
· 9.2 : 43,1 %

10

- 10.1
- 10.2

· / , : ,

- 10.3

- 10.4

- 10.5

- 10.6

(9)

: 02.04.2017

: 31.03.2017

T001

. 65

(8)

11

. 11.1

LD/LC50 (/),

1330-20-7 xylene

()	LD50	3523 / (rat/szczur/mouse/souris/Maus/rat n)
()	LD50	1701 / (rabbit/kr lik/Kaninchen/conejo/lapin)

100-41-4 ethylbenzene

()	LD50	3500 / (rat/szczur/mouse/souris/Maus/rat n)
()	LD50	15486 / (rabbit/kr lik/Kaninchen/conejo/lapin)
()	LC50/4	17,2 / (rat/szczur/mouse/souris/Maus/rat n)

110-19-0 isobutyl acetate

()	LD50	13400 / (rat/szczur/mouse/souris/Maus/rat n)
()	LD50	17401 / (rabbit/kr lik/Kaninchen/conejo/lapin)
()	LC50/4	31 / (rat/szczur/mouse/souris/Maus/rat n)

78-93-3 butanone

()	LD50	2001 / (rat/szczur/mouse/souris/Maus/rat n)
()	LD50	5001 / (rabbit/kr lik/Kaninchen/conejo/lapin)
()	LC50	21 / (rat/szczur/mouse/souris/Maus/rat n)

108-65-6 2-methoxy-1-methylethyl acetate

()	LD50	8532 / (rat/szczur/mouse/souris/Maus/rat n)
()	LD50	5001 / (rabbit/kr lik/Kaninchen/conejo/lapin)
()	LC50/4	35,7 / (rat/szczur/mouse/souris/Maus/rat n)

108-88-3 toluene

()	LD50	5000 / (rat/szczur/mouse/souris/Maus/rat n)
()	LD50	12124 / (rabbit/kr lik/Kaninchen/conejo/lapin)
()	LC50/4	25,7 / (rat/szczur/mouse/souris/Maus/rat n)

12

. 12.1

100-41-4 ethylbenzene

EC50 75 / (daphnia) (48 .)

(10)

TO01

. 65

110-19-0 isobutyl acetate	
EC50	370 / () (72 .)
	25 / (daphnia)
LC50 (96 .)	17 / ()
78-93-3 butanone	
EC50	2029 / () (96 .)
	308 / (daphnia) (48 .)
LC50 (96 .)	2993 / ()
108-65-6 2-methoxy-1-methylethyl acetate	
EC50	1001 / () (72 .)
	501 / (daphnia) (48 .)
LC50 (96 .)	134 / ()
108-88-3 toluene	
EC50	134 / () (3 .)
	3,78 / (daphnia) (48 .)
	58 / ()

· 12.2

Toluene CAS n. 108-88-3
OECD)

· 12.3

· 12.4

2 (-):

· 12.5

PBT (

) vPvB (

· PBT:

· vPvB:

· 12.6

13

· 13.1

080111

: 02.04.2017

: 31.03.2017

TO01
: . . . 65

(10)

14

· **14.1 UN**
· ADR, IMDG, IATA UN1263

· **14.2**
· ADR UN1263 , . 640D
· IMDG, IATA PAINT

· **14.3**
· ADR, IMDG, IATA



: 3
: 3

· **14.4**
· ADR, IMDG, IATA II

· **14.5** :
:

· **14.6** :
:
: (): 33
· EMS: F-E, S-E
· Stowage Category B

· **14.7** II
MARPOL73/78 ()
) IBC Code ()

· ADR
: (LQ) 5L : E2
: (EQ)
: 30
: 500
: 2
: D/E

(12)

T001

: . . 65

(11)

· IMDG

· *Limited quantities (LQ)*

· *Excepted quantities (EQ)*

5L

Code: E2

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 500

· **UN "Model Regulation":**

UN 1263

640D, 3, II

15

· **15.1**

1907/2006 1272/2008
2012/18/EU

1: 5000

2: 50000

· **P**

· **15.2**

16

H225

H226

H304

H312

H315

H319

H332

H335

H336

H361d

H373

H412

: **IVM Chemicals Srl**

: **Carlo Porta**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(13)

TO01

. 65

(12)

ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 2: Flammable liquids . Category 2
 Flam. Liq. 3: Flammable liquids . Category 3
 Acute Tox. 4: Acute toxicity . Category 4
 Skin Irrit. 2: Skin corrosion/irritation . Category 2
 Eye Irrit. 2: Serious eye damage/eye irritation . Category 2
 Repr. 2: Reproductive toxicity . Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) . Category 3
 STOT RE 2: Specific target organ toxicity (repeated exposure) . Category 2
 Asp. Tox. 1: Aspiration hazard . Category 1
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard . Category 3

1272/2008/EC

ECHA -

INRS Fiche Toxicologique

.*